Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and and third same sub-frame and fourth same sub-field and third same position\$6 and fourth same position\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 22:52
		display\$6 and defect\$6 same display\$6 same pixel\$1 spatio-temporal characteristics of a human visual system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 21:54
		display\$6 and defect\$6 same display\$6 same	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 21:35
S2	2	"5,987,532".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 17:28
S3	2	"4,759,009".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 17:30
S4	4	"20020067318"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÓR	ON	2007/05/23 17:31
S5	5849	display\$6 and defect\$6 same display\$6 same pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 21:35
\$7	35	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and spatial\$6 same offset\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 21:38

S8	723	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and spatial\$6 same offset\$6 and (first same position and second same position) same (identifi\$6 or ID) and base\$6 position\$6 same defect\$6 same display\$6 same pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 21:40
S9	3	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and spatial\$6 same offset\$6 and (first same position and second same position) same (identifi\$6 or ID) and base\$6 and position\$6 same defect\$6 same display\$6 same pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 21:47
S10	3	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and spatial\$6 same offset\$6 and (first same position and second same position) same (identifi\$6 or ID) and position\$6 same defect\$6 same display\$6 same pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 21:47
S12	18	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and spatial\$6 same offset\$6 and ((first same position and second same position) and (identifi\$6 or ID)) and position\$6 same defect\$6 same display\$6 same pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 21:53

S13	18	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 and second same position\$6 and spatial\$6 same offset\$6 and ((first same position and second same position) and (identifi\$6 or ID)) and position\$6 same defect\$6 same display\$6 same pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 21:54
S14	3	display\$6 and defect\$6 same display\$6 same pixel\$1 and spatio-temporal and characteristic\$6 and human and visual and system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 14:17
S15	3	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and spatial\$6 same offset\$6 and (first same position and second same position) same (identifi\$6 or ID) and position\$6 same defect\$6 same pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/24 14:08
S16	39	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 22:26
S17	551	display\$6 and spatio-temporal and characteristic\$6 and human and visual and system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 14:18
S18	11	display\$6 and spatio-temporal adj characteristic\$6 and human and visual and system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 14:33
S19	4	display\$6 and spatio-temporal adj characteristic\$6 and human and visual and system and pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:53

			u			
S20	4	display\$6 and spatio-temporal adj characteristic\$6 and human and visual and system and pixel\$1 and (computer or cpu or processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 19:43
S21	34	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and (computer or cpu or processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:58
S22	34	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and (computer or cpu or processor or micro-processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:58
S23	36	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and receive\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:59
S24	36	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and receive\$6 same (image\$6 or video or display\$6 same data or picture\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:07
S25	36	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and receive\$6 same (image\$6 or video or display\$6 same data or picture\$6) and offset\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:51
S26	32	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and receive\$6 same (image\$6 or video or display\$6 same data or picture\$6) and offset\$6 and (buffer\$6 or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 19:41

S27	32	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and receive\$6 same (image\$6 or video or display\$6 same data or picture\$6) and offset\$6 and (buffer\$6 or memory or stor\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 19:42
S28	32	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and receive\$6 same (image\$6 or video or display\$6 same data or picture\$6) and offset\$6 and (buffer\$6 or memory or stor\$6 or register\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 21:35
S29	1	display\$6 and spatio-temporal adj characteristic\$6 and human and visual and system and pixel\$1 and (computer or cpu or processor) and defect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 19:44
S30	4	display\$6 and spatio-temporal adj characteristic\$6 and human and visual and system and pixel\$1 and (computer or cpu or processor) and (buffer\$6 or memory or stor\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 19:45
S31	4	display\$6 and spatio-temporal adj characteristic\$6 and human and visual and system and pixel\$1 and (computer or cpu or processor) and (buffer\$6 or memory or stor\$6) and receive\$6 same (image\$6 or video or display\$6 same data or picture\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 10:51
S32	0	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and third same postion and fourth same position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 22:27
S33	26	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and third same position\$6 and fourth same position\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 22:51

			T	·		1
S34	2	"703089 4 "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 22:34
S35	28	("20030011614" "20030020809" "20030133060" "4662746" "4956619" "5061049" "5083857" "5386253" "5402184" "5490009" "5530482" "5689283" "5742274" "5757355" "5842762" "5897191" "5978518" "6025951" "6104375" "6141039" "6184969" "6219017" "6239783" "6313888" "6384816" "6393145" "6657603" "6825835"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/24 22:35
S36	0	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and third same sub-frame and fourth same sub-field and third same position\$6 and fourth same position\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 22:52
S37	25	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and third same sub-frame and fourth same (sub-field or sub-frame) and third same position\$6 and fourth same position\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 22:53
S38	4	display\$6 and spatio-temporal adj characteristic\$6 and human and visual and system and pixel\$1 and (computer or cpu or processor) and (buffer\$6 or memory or stor\$6) and receive\$6 same (image\$6 or video or display\$6 same data or picture\$6) and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 10:52
S39	5	display\$6 and spatio-temporal adj characteristic\$6 and human same visual\$6 and system and pixel\$1 and (computer or cpu or processor) and (buffer\$6 or memory or stor\$6) and receive\$6 same (image\$6 or video or display\$6 same data or picture\$6) and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:03

S40	5	display\$6 and spatio-temporal adj characteristic\$6 and human same visual\$6 and system and pixel\$1 and (computer or cpu or processor) and (buffer\$6 or memory or stor\$6) and receive\$6 same (image\$6 or video or display\$6 same data or picture\$6) and filter\$6 and (ID or identif\$6 or mark\$6 or indivisual\$6 or number\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:07
S41	28	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and receive\$6 same (image\$6 or video or display\$6 same data or picture\$6) and offset\$6 and resolut\$6 and high\$6 and low\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:54
S42	11	display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and receive\$6 same (image\$6 or video or display\$6 same data or picture\$6) and offset\$6 and resolut\$6 and high\$6 and low\$5 and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:55
S43		display\$6 and defect\$6 same display\$6 same pixel\$1 and display\$6 and alternat\$6 and first same sub-frame and first same position\$6 and second same sub-frame\$6 same second same position\$6 and receive\$6 same (image\$6 or video or display\$6 same data or picture\$6) and offset\$6 and resolut\$6 and high\$6 and low\$5 and quality\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 11:55